GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PR & RD Dept. – Vigilance & Quality Control Divisions - Maintenance of QC Labs for the year 2022-23 – Administrative Sanction for an amount of Rs.670.00 lakhs for maintenance of each V&QC Division @ Rs.15.00 lakhs and Rs.13.00 lakhs per each V&QC Sub Division, Maintenance of DQC lab at Visakhapatnam with an estimated cost of Rs.10.00 lakhs and maintenance of CE, VQC Section, O/o ENC, PR, A.P., Vijayawada at an Estt. Cost of Rs.7.00 lakhs under the available 0.5% QC Charges – Accorded – Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (PROGS.II) DEPARTMENT

G.O.Rt.No.143 **Dated.08.04.2022.**

Read the following:-

1.G.O.Rt.No.488, PR & RD (Progs.II) Dept., dt.14.09.2021.
2.From the Chief Engineer, Panchayat Raj, V&QC, Vijayawada Lr No.QC6/ CEVQC/Mtc of QC Labs/0.50% QC Charges/2022, Dt.24.03.2022.

.....

O R D E R:-

In the G.O. 1st read above, orders were issued according administrative sanction for an amount of Rs.667.00 lakhs (Rupees Six hundred and sixty seven lakhs only) for maintenance of V&QC Divisions and Sub-Divisions, maintenance of District Quality Control lab at Visakhapatnam and maintenance of Chief Engineer, V&QC Section in the O/o the Engineer-in-Chief, PR, A.P., Vijayawada for the Financial Year, 2021-22 from the available and accumulated amount under 0.50% QC Charges in each District from other than PAO Grants.

2. In the letter 2nd read above, the Chief Engineer, Pancnayat Raj, V&QC, Vijayawada has requested for according administrative sanction for an amount of Rs.670.00 Lakhs for maintenance of each V&QC Division @ Rs.15.00 lakhs and Rs.13.00 lakhs per each V&QC Sub Division, maintenance of DQC lab at Visakhapatnam with an estimated cost of Rs.10.00 lakhs and maintenance of CE, VQC Section, PR, Vijayawada, in the O/o the Engineer-in-Chief, PR, A.P., Vijayawada at Estt. Cost of Rs.7.00 lakhs.

3. In the above circumstances explained above, as there is immediate need for maintenance of Quality Control Divisions and Sub-Divisions and to continue inspections, Government, after careful consideration hereby accord administrative sanction for an amount of Rs.670.00 Lakhs (Rupees six hundred and seventy lakhs only) for maintenance of V&QC Divisions & Sub Divisions, Maintenance of District Quality control lab at Visakhapatnam and Maintenance of Chief Engineer, V&QC Section in the O/o Engineer-in-Chief, PR, A.P., Vijayawada for the Financial Year, 2022-23 from the available and accumulated amount under 0.5% QC Charges in each District from other than PAO Grants, as shown in the annexure appended hereunder.

4. The Chief Engineer, Panchayat Raj, Vigilance and Quality Control, Andhra Pradesh, Vijayawada shall take further necessary action accordingly in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Chief Engineer, Panchayat Raj, Vigilance and Quality Control, Andhra Pradesh, Vijayawada.
Copy to:
The Engineer-In-Chief, Panchayat Raj, A.P., Vijaywada
The Commissioner, Panchayat Raj & Rural Development, Andhra Pradesh, Vijayawada.
The Accountant General, A.P., Vijayawada.
The Pay & Accounts officer, A.P., Ibrahimpatnam.
The Directorate of Treasuries & Accounts, A.P., Ibhrahimpatnam
The P.S. to M (PR & RD, Mines & Geology)
The PS to Principal Secretary to Govt., PR&RD Dept.
Sc/Sf.,

//FORWARDED:BY ORDER//

S.N. & L.

SECTION OFFICER

(Annexure....contd.)

ANNEXURE

(to G.O.Rt.No.143, PR & RD (PROGS.II) Dept., dt.08.04.2022)

S.No	Name of the QC division		Name of the QC Sub-Division	Est.Cost Rs.in Lakhs
1	Srikakulam			**15.00**
		1	Srikakulam	13.00
		2	Palakonda	13.00
		3	Tekkali	13.00
		4	Vizianagaram-1	13.00
		5	Vizianagaram-2	13.00
		6	Parvathipuram	13.00
2	Visakhapatnam			**15.00**
		7	Visakhapatnam	13.00
		8	Paderu	13.00
		9	Narsipatnam	13.00
		10	Kakinada	13.00
		11	Rampachodavaram	13.00
		12	Rajamahendravaram	13.00
3	Vijayawada			**15.00**
		13	Vijayawada	13.00
		14	Machilipatnam	13.00
		15	Nuzividu	13.00
		16	Eluru	13.00
		17	Bhimavaram	13.00
		18	Jangareddygudem	13.00
4	Parchur			**15.00**
		19	Ongole	13.00
		20	Markapur	13.00
		21	Guntur	13.00
		22	Narsaraopet	13.00
		23	Tenali@Repalli	13.00
5	Nellore			**15.00**
		24	Nellore	13.00
		25	Gudur	13.00
		26	Udayagiri	13.00
		27	Kandakur	13.00
6	Chittoor			**15.00**
		28	Chittoor	13.00
		29	Madanapalli	13.00
		30	Tirupathi	13.00
7	Ananthapuramu			**15.00**
		31	Ananthapuramu-1	13.00
		32	Ananthapuramu-2	13.00
		33	Kadiri	13.00
		34	Penukonda	13.00
8	Kadapa			**15.00**
		35	Kadapa-1	13.00
		36	Kadapa-2	13.00
		37	Jammalamadugu	13.00
		38	Pulivendula	13.00
		39	Kurnool-1	13.00
		40	Kurnool-2	13.00
		41	Nandyal	13.00
9	Maintenance of District Quality control lab at Visakhapatnam			**10.00**
10	Maintenance of CE,V&QC Section in the O/o E.N.C.,PR Vijayawada			**7.00**
	TOTAL(Six hundred and seventy lakhs only)			**670.00**

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVERNMENT